



5637
#13

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/787,437A
Source: PC-T09
Date Processed by STIC: 12/4/02

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
Or
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002



Does Not Comply
Corrected Diskette Needed

PCT09

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/787,437A

DATE: 12/04/2002
TIME: 13:15:45

Input Set : A:\EP.txt
Output Set: N:\CRF4\12032002\I787437A.raw

Formatting error.
Please contact Robert
Wax for assistance at
703-308-4216 or 703-308-
4119

1 <110> APPLICANT: AIDA, Yoko Kamata,
W--> 2 <120> TITLE OF INVENTION: Apoptosis Inducers<130> P20825<140> US 09/787,437<141> 1999-
C--> 3 <140> CURRENT APPLICATION NUMBER: US/09/787,437A
C--> 3 <141> CURRENT FILING DATE: 1999-01-29
W--> 0 <130> FILE REFERENCE:
3 <150> PRIOR APPLICATION NUMBER: PCT/JP99/00388<151> 1999-01-29<150> JP 10/277361<151>
1998-09-
W--> 4 <160> NUMBER OF SEQ ID: 2 <170> PatentIn version 3.0<210> 1<211> 28<212> DNA<213>

ERRORED SEQUENCES

W--> 5 <220> FEATURE: <223> Artificial Sequence
W--> 5 <220> FEATURE: <223> Artificial Sequence
W--> 7 <220> FEATURE: <221> PCR Primer<222> (1)..(28)<223> Sense primer
W--> 9 <210> SEQ ID NO:
W--> 9 <211> LENGTH:
W--> 9 <212> TYPE:
W--> 9 <213> ORGANISM:
E--> 9 <400> SEQUENCE: 1
10 gaagatatcc gaacaagccc cagaagac

28

VERIFICATION SUMMARY

DATE: 12/04/2002

PATENT APPLICATION: US/09/787,437A

TIME: 13:15:46

Input Set : A:\EP.txt

Output Set: N:\CRF4\12032002\I787437A.raw

L:2 M:283 W: Missing Blank Line separator, <120> field identifier
L:3 M:270 C: Current Application Number differs, Replaced Current Application No
L:3 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:0 M:201 W: Mandatory field data missing, <130> FILE REFERENCE
L:4 M:283 W: Missing Blank Line separator, <160> field identifier
L:5 M:283 W: Missing Blank Line separator, <220> field identifier
L:5 M:256 W: Invalid Numeric Header Field, <220> has non-blank data
L:7 M:256 W: Invalid Numeric Header Field, <220> has non-blank data
L:9 M:282 W: Numeric Field Identifier Missing, <210> is required.
L:9 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:9 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:9 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:9 M:212 E: (34) Invalid or duplicate Sequence ID Number, SEQUENCE ID NOS:0 differs:1
L:15 M:256 W: Invalid Numeric Header Field, <220> has non-blank data
L:17 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:17 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:17 M:282 W: Numeric Field Identifier Missing, <213> is required.